SAFETY DATA SHEET

SECTION 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING (*)

Ion exchange resin in wet form
ReliSorb CM400 – CM400/SS – CM405/EB

PRODUCT NAME

 1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

 Relevant identified uses
 :
 Chromatography

 Uses advised against
 :
 None

:

÷

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

:	Resindion S.r.l.
:	Via Roma, 55 – 20082 Binasco (MI) - ITALY
:	+39.0290.0130.1
:	+39.0290.047687
:	+39.0290.0130.1 (8:00 - 12:00 / 13:00 - 17:00)
:	info@resindion.com
	: : :

SECTION 2. HAZARDS IDENTIFICATION (*)

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

 2.1.1 Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

 Classification
 :
 not classified

This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No. 1272/2008 on classification, labelling and packaging of substances and mixtures.

2.2 LABEL ELEMENTS

Hazard pictogram(s)	:	not applicable
Signal word	:	no signal word
Hazard statement(s)	:	no known significant effects or critical hazards
Precautionary statement(s)	:	not applicable
Supplement hazard information	:	not applicable

2.3 OTHER HAZARDS

Results of PBT and vPvB This product does not meet the PBT and vPvB criteria

Other hazards which did not result in classification Material can cause irritation to eyes. Prolonged or repeated skin contact can cause slight irritation. Do not step on spilled resins because the resins are very slippery.

Environmental risks

Being non volatile and insoluble, there is no risk to the air and water compartment. Material expected stable in the ground. No biological degradation observed.

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS (*)

3.2 MIXTURE

Identification name	CAS No.	EINECS No.	Weight % range
Crosslinked copolymer of methacrylate	113749-40-6	Not applicable	25 – 35
containing carboxylic groups			
Water	7732-18-5	231-791-2	65 – 75

Within the present knowledge of the supplier, this product does not contain any hazardous ingredient in quantities requiring reporting in this section, in accordance with EU or national regulations.

SECTION 4. FIRST-AID MEASURES (*)

4.1 DESCRIPTION OF FIRST AID MEASURES

EYE CONTACT	:	Eye-flush with water for more than 15 minutes. If necessary, get medical attention.
SKIN CONTACT	:	Wash with water and soap. In case of irritation, get medical attention.
INHALATION	:	Possibility of inhalation is low. Take the patient to fresh air; in case of difficulty in breathing, medical advice is required.
INGESTION	:	Not specially necessary in case of small amount. In case of stomachache, get medical attention.

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED See Section 11 for more detailed information on health effects.

4.3 INDICATIONS OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED See Section 11 for more detailed information on health effects.

SECTION 5. FIREFIGHTING MEASURES (*)

5.1	EXTINGUISHING MEDIA Suitable extinguishing media Unsuitable extinguishing media		dry chemical, water spray, CO₂ none known
5.2	SPECIAL HAZARDS ARISING FROM Hazards from the substance or	THE SUB	STANCE OR MIXTURE
	mixture Hazardous combustion	:	No specific fire or explosion hazard
	products	:	CO _x , NO _x
5.3	ADVICE FOR FIREFIGHTERS		
	Special protective equipment for		
	firefighters	:	Wear self-contained breathing apparatus and fully protective gear.
	Special firefighting procedures	:	Keep unnecessary people away. In the event of fire, do not breathe fumes. If possible without risk, move containers from fire area. Prevent runoff from fire control or dilution from entering streams, sewers or drinking water supply.

SECTION 6. ACCIDENTAL RELEASE MEASURES (*)

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES 6.1.1 For not-directly involved personnel : Resins may be slippery. Do not step on the spilled resins. Avoid contact with skin and eyes. Evacuate non-essential personnel. Provide adequate ventilation. 6.1.2 For directly involved personnel Wear appropriate personal protective equipment (see Section 8) 6.2 ENVIRONMENTAL PRECAUTIONS : Prevent spilled resins from entering sewers, watercourses or drinking water supply. 6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP 6.3.1 Advices on how to contain cover the drains a spill : 6.3.2 Advices on how to clean up a spill Vacuum or sweep up and place in designated, labelled and closed waste containers; have them disposed of by experts. 6.3.3 Other information not available : 6.4 REFERENCE TO OTHER SECTIONS : See Section 1 for emergency contact information See Section 8 for information on appropriate personal protective equipment See Section 13 for additional waste treatment information

SECTION 7. HANDLING & STORAGE (*)

7.1 PRECAUTIONS FOR SAFE HANDLING :	Wear safety glasses and protective gloves to avoid eye or skin contact (see Section 8). Resin handling should be done in well-ventilated, upwind areas. Eye-washing facilities must be set in the working area. Do not step on spilled resins because the resins are very slippery. Avoid high temperature, sparks and flames. Also avoid contact or mixture with oxidizing substances. Keep in the original containers and keep them tightly closed when not in use. Do not eat, drink and smoke in the areas where the material is handled. Do not ingest. Observe good personal hygiene measures such as washing the hands after handling the material and before eating, drinking and/or smoking.
7.2 CONDITIONS FOR SAFE STORAGE,	Store in accordance with local regulations. Store in their original containers in a cool, dry, well-ventilated location at room temperature ($2 \div 30$ °C).
INCLUDING ANY INCOMPATIBILITIES:	Avoid freezing (≤ 0 °C) and dehydration (≥ 40 °C). Avoid sunlight exposure. Keep the containers tightly closed. Keep away from oxidizing substances and separated from foodstuffs. Open containers should be resealed and kept upright to prevent spills. Prevent by appropriate containment the release of the mixture to the environment, keeping away from drains.

A Subsidiary of A Subsidiary o

7.3 SPECIFIC END USE(S)	:
Recommendations	:
Industrial sector specific solution	s:

Chromatography not available not available

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION (*)

8.1 CONTROL PARAMETERS OCCUPATIONAL EXPOSURE LIMIT	:	ACGIH TLV	(TWA) (STEL)	not established not established
8.2 EXPOSURE CONTROLS	:			
8.2.1.APPROPRIATE ENGINEERING CO	ONTROLS:	If resin handling is	made in	-house, general and/or local
		exhaust ventilatio	n is prefe	rred.
8.2.2.PERSONAL PROTECTION EQUIP	MENT			
8.2.2.1 Eye and face protection	:	Recommended: sa	afety glas	ses with side shields
8.2.2.2 Skin protection				
Hand protection	:	Chemical resistant	t protecti	ve rubber gloves in accordance
		with the appropria	ate CEN s	tandard should be worn any
		time a chemical is	handled	to prevent skin contact
Other skin protection	:	Wear appropriate	clothing	to prevent repeated or
			ntact, sel	ected in accordance to the task
		being performed		
8.2.2.3 Respiratory protection	:	normally not need	ded.	
		Should a risk asses	ssment in	dicate that it is necessary, use a
		properly fitted air	-purifying	or air-fed respirator complying
		with the appropria	ate CEN s	tandard.
8.2.2.4 Thermal hazards	:	none known		
8.2.2.5 Hygiene measures	:		-	cilities are set in the working
				n accordance with good
				ty practices. Observe good
				s such as washing the hands after
		-		nd before eating, drinking
				hing and protective equipment
		before reusing to	remove c	contaminants.
8.2.3 ENVIRONMENTAL EXPOSURE				
CONTROLS	:			tainment the release of the
		mixture to the env	vironmen	t, keeping away from drains.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES (*)

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	white opaque spherical beads
Odour	:	odourless
Odour threshold	:	not available
рН	:	not applicable
Melting point / freezing point	:	not applicable
Initial boiling point and boiling		
range	:	not applicable
Flash point	:	not applicable
Evaporation rate	:	not applicable
Flammability (solid, gas)	:	not applicable
Upper/lower flammability	:	not available
Explosive limits	:	not applicable

Vapour pressure	:	none
Vapour density	:	none
Relative density	:	1.1 g/ml
Solubility	:	insoluble in water and organic solvents
Partition coefficient		
(n-octanol/water)	:	not applicable
Auto-ignition temperature	:	not applicable
Decomposition temperature	:	not available
Viscosity	:	not available
Explosive properties	:	not applicable
Oxidizing properties	:	not applicable
9.2 OTHER INFORMATION	:	No additional information

SECTION 10. STABILITY AND REACTIVITY (*)

10.1 REACTIVITY	:	the product is stable and not reactive under normal conditions of use, storage and transport
10.2 CHEMICAL STABILITY	:	chemically stable under normal conditions of use, under storage and transport at ambient temperatures
10.3 POSSIBILITY OF HAZARDOUS		
REACTIONS	:	No hazardous reaction will occur under normal conditions of use and storage
10.4 CONDITIONS TO AVOID	:	drying (\geq 40°C) and freezing (\leq 0°C). Avoid high temperature, sparks and flames and sunlight exposure.
10.5 INCOMPATIBLE MATERIALS	:	strong oxidizing substances such as nitric acid, that may cause hazardous reactions
10.6 HAZARDOUS DECOMPOSITION		
PRODUCTS (except burning)	:	no hazardous decomposition product will be produced under normal conditions of use, storage and transport

SECTION 11. TOXICOLOGICAL INFORMATION (*)

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

11.1.2 MIXTURE

Acute toxicity	:	not classified
Skin corrosion/irritation	:	repeated and prolonged skin contact may cause mild transient irritation
Serious eye damage/irritation	:	direct contact may cause mild eye irritation
Respiratory or skin sensitizatio	n:	not classified
Germ cell mutagenicity	:	not classified
Carcinogenicity	:	not classified
Reproductive toxicity	:	not classified
STOT – single exposure	:	not classified
STOT – repeated exposure	:	not classified
Aspiration hazard	:	not classified

11.1.5 INFORMATION ON LIKELY ROUTES OF EXPOSURE

Ingestion : May cause discomfort if swal	lowed
Inhalation : Inhalation of dust might caus	e transient respiratory
irritation	
Skin contact : May cause mild transient irrit	ation
Eye contact : Direct contact may cause eye	e irritation

A Subsidiary of AMITSUBISHI CHEMICAL

SECTION 12. ECOLOGICAL INFORMATION (*)

:

:

:

:

12.1 TOXICITY

- 12.2 PERSISTENCE AND DEGRADABILITY:
- 12.3 BIOACCUMULATIVE POTENTIAL :
- 12.4 MOBILITY IN SOIL
- 12.5 RESULTS OF PBT AND vPvB
- 12.6 OTHER ADVERSE EFFECTS
- The product presents little or no hazard to the ecosystem. Prevent spilled resins from entering sewers, watercourses or drinking water supply.
- no information available
- no information available
- Virtually insoluble in water. The product is not volatile
- This product does not meet the PBT and vPvB criteria
- no information available

SECTION 13. DISPOSAL CONSIDERATIONS (*)

13.1 WASTE TREATMENT METHODS

PRODUCT		
Methods of disposal	:	Avoid spilled resins from entering sewers, watercourses or drinking water supply. Both product residues and uncleaned empty containers should be sealed, labelled and disposed of by either incineration or landfill, or recycled under the conditions which meet local, regional and national laws and regulations relating to waste in each country. For disposal within the EC, it is up to the user to assign to the waste the proper code according to the European List of Wastes (LoW), on the basis of the application for which the product was used.
Hazardous waste	:	within the present knowledge of the supplier, the product is not classified as hazardous waste, as defined by the EU Directive 2008/98/EC.
PACKAGING		
Methods of disposal	:	Waste packaging should be recycled wherever possible. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	:	Both the product and its containers must be disposed of in a safe way and according to the relevant national and local regulations. Empty containers and liners might retain some product residues: avoid spilled resins from entering sewers, watercourses or drinking water supply.

SECTION 14. TRANSPORT INFORMATION (*)

Temperature during transportation must be kept more than 0 °C. Avoid freezing (\leq 0°C) and dehydration (\geq 40°C). Avoid high temperature, sparks and flames. Keep away from oxidizing substances. Keep separated from foodstuffs.

Not classified as dangerous cargo.

In addition, please follow all regulations in your country

FURTHER INFORMATION		
ADR	:	not applicable
RID	:	not applicable



A Subsidiary of 🙏 MITSUBISHI CHEMICAL

ADN :
IATA :
IMDG :
14.1 UN NO. :
14.2 UN PROPER SHIPPING NAME :
14.3 TRANSPORT HAZARD CLASS(es) :
14.4 PACKING GROUP :
14.5 ENVIRONMENTAL HAZARDS :
14.6 SPECIAL PRECAUTIONS FOR USER:
14.7 TRANSPORT IN BULK ACCORDING
TO ANNEX II OF MARPOL 73/78
AND THE IBC CODE :

not applicable not applicable not applicable not applicable not applicable not applicable none not regulated

not applicable

not available

SECTION 15. REGULATORY INFORMATION (*)

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

EU REGULATIONS:

- EU Regulation (EC) No. 1907/2006 (REACH)
 Annex XIV List of substances subject to authorization
 Not listed
 Substances of very high concern (SVHC)
 Not listed
 Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles
 Not applicable
- EU Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer Not applicable
- EU Regulation (EC) No. 850/2004 on persistent organic pollutants Not applicable
- EU Regulation (EC) No. 649/2012 concerning the export and import of dangerous chemicals Not applicable

Other Regulations

This product does not require a label according to the EU Regulations 1907/2006/EC, 1272/2008/EC

National Regulations

Follow national regulations for work with chemical substances.

15.2 CHEMICAL SAFETY ASSESSMENT :

No Chemical Safety Assessment has been carried out for this mixture by the supplier

SECTION 16. OTHER INFORMATION (*)

HISTORY

Date of issue	:	04/06/2015
Revision n°	:	5
Date of previous issue	:	28/04/2015

:

(*) This symbol identifies the revised sections

ABBREVIATIONS AND ACRONYMS

ACGIH = American Conference of Governmental Industrial

A Subsidiary of AMITSUBISHI CHEMICAL

		Hygienists ADN = European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road CAS = Chemical Abstract Service number CEN = European Committee for Standardisation CLP = Classification, Labelling and Packaging Regulation (Regulation EC No. 1272/2008) CMR = Carcinogen, Mutagen, or Reproductive Toxicant ECHA = European Chemical Agency EINCES = European Inventory of Existing Commercial Substances GHS = Globally Harmonised system IATA = International Air Transport Association IBC code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IMDG = International Maritime Dangerous Goods PBT = Persistent, Bioaccumulative and Toxic STEL = short-term exposure limit STOT = Specific target organ toxicity TLV = Threshold Limit Value TWA = time-weighted average vPvB = Very Persistent and Very Bioaccumulative
REFERENCES	:	ECHA Guidance on the compilation of safety data sheets – Version 2.1 February 2014 and Regulation (EU) No. 830/2015.
CLASSIFICATION AND PROCEDURE U	SED TO D	ERIVE THE CLASSIFICATION FOR MIXTURES ACCORDING TO
REGULATION (EC) 1272/2008 (CLP)	:	not classified
RELEVANT H-PHRASES AND/OR P-STATEMENTS DEFINITIONS	:	No EU Risk H-Phrases and/or P-Statements were identified for this product
FURTHER INFORMATION	:	This -SDS was prepared in compliance with Regulations (EC) No. 1907/2006/EC, 1272/2008/EC and Regulations (EU) No. 286/2011, 830/2015. This product complies in its composition with the EC Resolution RESAP (2004) 3. This mixture is exempted from Registration according to the provisions of Title II and VI as indicated in Article 2(9) of REACH.

Disclaimer: Judgements as to the suitability of information herein are the purchaser's responsibility. Although reasonable care has been taken in the preparation of such information, Resindion extends no warranties, makes no representations, and assumes no responsibility as to the accuracy or suitability of such information for application to the purchaser's intended purpose or for consequences of its use.